
# Ago Top Asimmetrico

LL1260153

Lombardo.






**Technical information:**

| | |
|---|---|
| Installation: | Wall, Surface mounting wall |
| Material: | Aluminium |
| Finish: | Brown Anodized Aluminium |
| Treatment: | Anodization |
| Diffuser type: | Serigraphed glass |
| Lamp type: | LED |
| Energy performance class: | E |
| Colour temperature: | 3000K |
| CRI: | >80 |
| LB Factor: | LM80B50 - 50.000h |
| Photobiological risk: | RG1 |
| Power consumption (Watt): | 2 |
| Lumen: | 200 |
| Real Lumen: | 25 |
| Power supply: | ⊗ not included |
| LED: | 24V |
| Insulation class: | CL.III |
| Power cable: | 0.30 m H05RN-F 2x0.75 |
| Type of protection: | **IP 66** |
| Resistance to breakage: | **IK 07 2J xx5** |
| Standards and Marks of Conformity: | CE UK CA |


Asymmetric version. Cable 0.30m H05RN-F 2x0.75.




**Lombardo S.r.l.**
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

# Ago Top Asimmetrico

LL1260153






**Lombardo S.r.l.**
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

# Ago Top Asimmetrico

LL1260153

**Lighting simulation:**




ago_top_asim

**Lombardo S.r.l.**
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it