


# Class Tonda 260

LB59122


**Lombardo.**



## Technical information:

|                                    |                                                                                                                                                                             |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Installation:                      | Wall, Ceiling                                                                                                                                                               |
| Finish:                            | Black                                                                                                                                                                       |
| Diffuser type:                     | Polycarbonate                                                                                                                                                               |
| Lamp type:                         | Lamp                                                                                                                                                                        |
| CRI:                               | >80                                                                                                                                                                         |
| Photobiological risk:              | RG0                                                                                                                                                                         |
| Type of bulb socket:               | E27                                                                                                                                                                         |
| Lamp max:                          | 1x75                                                                                                                                                                        |
| CFL:                               | 1x15                                                                                                                                                                        |
| Version with:                      |  Suitable for motion sensor/Day and night sensor                                         |
| Insulation class:                  |  CL.II                                                                                   |
| Type of protection:                | <b>IP 65</b>                                                                                                                                                                |
| Resistance to breakage:            | <b>IK 10 20J xx9</b>                                                                                                                                                        |
| Standards and Marks of Conformity: |   |


Polycarbonate diffuser. Silicone gasket. Lamp max. dim: E27 128 mm Ø 48 mm.



# Class Tonda 260

LB59122

**Lombardo.**



**Lombardo S.r.l.**

Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - T 0039 035 939 411 - E [info@lombardo.it](mailto:info@lombardo.it)

**lombardo.it**

### Photometric curves:

