
Flag 330 Reg

LL14010EW3

Lombardo.







Technical information:

Installation:	Wall, Ground
Material:	Aluminium
Finish:	Grey anthracite RAL 7021
Treatment:	Sea Treatment
Diffuser type:	Serigraphed glass
Optics:	Wide
Lamp type:	LED
Energy performance class:	E
Colour temperature:	3000K
CRI:	>80
LB Factor:	L80B20 - 50.000h
Photobiological risk:	RG0
Power consumption (Watt):	19
Lumen:	2850
Real Lumen:	Max 1980
Power supply:	integrated
LED:	220-240 V
Circuit breaker B10 - C10 - B16 - C16	30-38-45-57
Insulation class:	CL.II
Type of protection:	**IP 66**
Resistance to breakage:	**IK 07 2J xx5**
Standards and Marks of Conformity:	CE UK CA

Supplied with 5-step adjustment bracket in painted aluminium.





Lombardo S.r.l.
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

Flag 330 Reg

LL14010EW3

Lombardo.






Lombardo S.r.l.
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

Flag 330 Reg


LL14010EW3

Lombardo.


Lighting simulation:




flag_reg_330_optic_a



flag_reg_330_optic_d



flag_reg_330_optic_s



flag_reg_330_optic_w


Lombardo S.r.l.
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

Flag 330 Reg

LL14010EW3

Lombardo.

Photometric curves:



Lombardo S.r.l.
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it