

# Ross 280

LD1240003

**Lombardo.**



## Technical information:

|                                    |                                                                |
|------------------------------------|----------------------------------------------------------------|
| Installation:                      | Wall, Ceiling, Surface mounting wall, Surface mounting ceiling |
| Finish:                            | White from moulding                                            |
| Diffuser type:                     | Polycarbonate                                                  |
| Lamp type:                         | LED                                                            |
| Energy performance class:          | F                                                              |
| Colour temperature:                | 3000K                                                          |
| CRI:                               | >80                                                            |
| LB Factor:                         | L80B20 - 50.000h                                               |
| Photobiological risk:              | RG1                                                            |
| Power consumption (Watt):          | 13                                                             |
| Lumen:                             | 1560                                                           |
| Real Lumen:                        | 895                                                            |
| Power supply:                      | ✓ integrated                                                   |
| LED:                               | 220-240 V                                                      |
| Insulation class:                  | □ CL.II                                                        |
| Type of protection:                | <b>IP 66</b>                                                   |
| Resistance to breakage:            | <b>IK 10 20J xx9</b>                                           |
| Standards and Marks of Conformity: | CE UK CA                                                       |
| Dimming                            | PUSH<br>1-10V                                                  |



**Lombardo S.r.l.**

Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - T 0039 035 939 411 - E [info@lombardo.it](mailto:info@lombardo.it)

**lombardo.it**

**Ross 280**

LD1240003

**Lombardo.**



**Lombardo S.r.l.**

Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - T 0039 035 939 411 - E [info@lombardo.it](mailto:info@lombardo.it)

**lombardo.it**

# Ross 280

LD1240003

Lombardo.

## Lighting simulation:



ross\_280