
# Ross 330

LL1240353


Lombardo.







## Technical information:

| | |
|---|---|
| Installation: | Wall, Ceiling, Surface mounting wall, Surface mounting ceiling |
| Finish: | White from moulding |
| Diffuser type: | Polycarbonate |
| Lamp type: | LED |
| Energy performance class: | D |
| Colour temperature: | 3000K |
| CRI: | >80 |
| LB Factor: | L80B20 - 50.000h |
| Photobiological risk: | RG1 |
| Power consumption (Watt): | 25 |
| Lumen: | 3000 |
| Real Lumen: | 1842 |
| Power supply: | integrated |
| LED: | 220-240 V |
| Circuit breaker B10 - C10 - B16 - C16 | 22-27-32-41 |
| Version with: | Day Night sensor |
| Insulation class: | CL.II |
| Type of protection: | **IP 66** |
| Resistance to breakage: | **IK 10 20J xx9** |
| Standards and Marks of Conformity: | CE UK CA |



**Lombardo S.r.l.**
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

# Ross 330

LL1240353

Lombardo.






**Lombardo S.r.l.**
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

# Ross 330

LL1240353


Lombardo.

## Lighting simulation:




ross_330

## Photometric curves:



**Lombardo S.r.l.**
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it