Trend 220


LB49121

Lombardo.





Technical information:

Installation:	Wall
Material:	Aluminium
Finish:	White RAL 9010
Diffuser type:	Polycarbonate
Lamp type:	Lamp
CRI:	>80
Photobiological risk:	RG0
Type of bulb socket:	E27
CFL:	1x20
Insulation class:	⧈ CL.II
Type of protection:	**IP 66**
Resistance to breakage:	**IK 10 20J xx9**
Standards and Marks of Conformity:	CE UK CA



Lamp max. dim.: E27 128 mm Ø 48 mm. BORDO MARE: add S to the end of the selected code including LED colour to have the product supplied with sea treatment against salt spray.





Lombardo S.r.l.
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

Trend 220

LB49121

Lombardo.






Lombardo S.r.l.
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it

Trend 220


LB49121

Lombardo.

Lighting simulation:




trend_220_e27_poliglass



trend_220_e27_trasp

Photometric curves:



Lombardo S.r.l.
Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - **T** 0039 035 939 411 - **E** info@lombardo.it