









Tok QL H400

IP66 IK 10 20J xx9 CE UK CA	LED				COL. CODE *	
	W	LM	REAL LM			
	5	480	140	  220-240 V	<input type="checkbox"/> LL12814W <input type="checkbox"/> LL12814G <input type="checkbox"/> LL12814E <input type="checkbox"/> LL12814K	





* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q2L H400

IP66 IK 10 20J xx9 CE UK CA	LED				COL. CODE *	
	W	LM	REAL LM			
	8	960	180	  220-240 V	<input type="checkbox"/> LL12815W <input type="checkbox"/> LL12815G <input type="checkbox"/> LL12815E <input type="checkbox"/> LL12815K	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K





Tok Q H700

IP66 IK 10 20J xx9 CE UK CA	LED				COL. CODE *	
	W	LM	REAL LM			
	14	1920	630	  220-240 V	<input type="checkbox"/> LL12816W <input type="checkbox"/> LL12816G <input type="checkbox"/> LL12816E <input type="checkbox"/> LL12816K	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Emissione luminosa 360°. | Light beam 360°. | Angle d'éclairage 360°. | Emisión de luz 360°.

Tok QL H700

IP66 IK 10 20J xx9 CE UK CA	LED				COL. CODE *	
	W	LM	REAL LM			
	5	480	140	  220-240 V	<input type="checkbox"/> LL12817W <input type="checkbox"/> LL12817G <input type="checkbox"/> LL12817E <input type="checkbox"/> LL12817K	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K