



























Kura

Kura X1				DIFF. TRASP.																			
IP 65 IK 06 1J xx3 C UK CA																							
LED	W	LM	REAL LM	COL.	CODE **	* OPTIC	* LED COLOUR																
	2	180	150	  220-240 V		LL14701W□□ LL14701B□□	<table border="0"> <tr><td>S</td><td>18°</td><td>N</td><td>4000K</td></tr> <tr><td>M</td><td>28°</td><td>3</td><td>3000K, Im -5%</td></tr> <tr><td>L</td><td>52°</td><td>2</td><td>2700K, Im -5%</td></tr> <tr><td>E</td><td>11 X 37°</td><td></td><td></td></tr> </table>	S	18°	N	4000K	M	28°	3	3000K, Im -5%	L	52°	2	2700K, Im -5%	E	11 X 37°		
S	18°	N	4000K																				
M	28°	3	3000K, Im -5%																				
L	52°	2	2700K, Im -5%																				
E	11 X 37°																						
	2	180	150	  700mA - 3V		LZ14701W□□ LZ14701B□□																	




Kura X3				DIFF. TRASP.																			
IP 65 IK 06 1J xx3 C UK CA																							
LED	W	LM	REAL LM	COL.	CODE **	* OPTIC	* LED COLOUR																
	6	540	510	  220-240 V		LL14702W□□ LL14702B□□	<table border="0"> <tr><td>S</td><td>18°</td><td>N</td><td>4000K</td></tr> <tr><td>M</td><td>28°</td><td>3</td><td>3000K, Im -5%</td></tr> <tr><td>L</td><td>52°</td><td>2</td><td>2700K, Im -5%</td></tr> <tr><td>E</td><td>11 X 37°</td><td></td><td></td></tr> </table>	S	18°	N	4000K	M	28°	3	3000K, Im -5%	L	52°	2	2700K, Im -5%	E	11 X 37°		
S	18°	N	4000K																				
M	28°	3	3000K, Im -5%																				
L	52°	2	2700K, Im -5%																				
E	11 X 37°																						
	6	540	510	  700mA - 9V		LZ14702W□□ LZ14702B□□																	

Kura X5				DIFF. TRASP.																			
IP 65 IK 06 1J xx3 C UK CA																							
LED	W	LM	REAL LM	COL.	CODE **	* OPTIC	* LED COLOUR																
	10	900	840	  220-240 V		LL14703W□□ LL14703B□□	<table border="0"> <tr><td>S</td><td>18°</td><td>N</td><td>4000K</td></tr> <tr><td>M</td><td>28°</td><td>3</td><td>3000K, Im -5%</td></tr> <tr><td>L</td><td>52°</td><td>2</td><td>2700K, Im -5%</td></tr> <tr><td>E</td><td>11 X 37°</td><td></td><td></td></tr> </table>	S	18°	N	4000K	M	28°	3	3000K, Im -5%	L	52°	2	2700K, Im -5%	E	11 X 37°		
S	18°	N	4000K																				
M	28°	3	3000K, Im -5%																				
L	52°	2	2700K, Im -5%																				
E	11 X 37°																						
	10	900	840	  700mA - 15V		LZ14703W□□ LZ14703B□□																	

Finishing

	Bianco da stampaggio White Blanc moulé
	Nero da stampaggio Black Noir moulé

* Led colour

-  4000K
-  3000K, Im -5%
-  2700K, Im -5%

Completa il codice sostituendo al quadrato rosso la lettera o il numero corrispondente alla temperatura colore scelta.

Complete the code by replacing the red box with the letter or number corresponding to the selected colour temperature.

Compléter le code en remplaçant le carré rouge par la lettre ou le numéro correspondant à la sélection de température couleur.

Alimentatore incluso da remoto

Remote driver included
Alimentation déportée incluse

Alimentatore escluso

Driver not included
Alimentation non incluse