







Tok Q H150

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	14	1920	630	 220-240 V	<input type="checkbox"/> LL12810W <input type="checkbox"/> LL12810G <input type="checkbox"/> LL12810E <input type="checkbox"/> LL12810K	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K




Emissione luminosa 360°. | Light beam 360°. | Angle d'éclairage 360°.

Tok QL H150

IP66 CE UK ER IK 10 20J xx9	LED			COL.	CODE *	
	W	LM	REAL LM			
	5	480	140	 220-240 V	<input type="checkbox"/> LL12811W <input type="checkbox"/> LL12811G <input type="checkbox"/> LL12811E <input type="checkbox"/> LL12811K	




* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q2L H150

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	8	960	180	 220-240 V	<input type="checkbox"/> LL12812W <input type="checkbox"/> LL12812G <input type="checkbox"/> LL12812E <input type="checkbox"/> LL12812K	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Tok Q H400

IP66 IK 10 20J xx9 CE UK ER	LED			COL.	CODE *	
	W	LM	REAL LM			
	14	1920	630	 220-240 V	<input type="checkbox"/> LL12813W <input type="checkbox"/> LL12813G <input type="checkbox"/> LL12813E <input type="checkbox"/> LL12813K	

* Complete the CODE LED COLOUR N | 4000K 3 | 3000K 2 | 2700K 1 | 2200K

Emissione luminosa 360°. | Light beam 360°. | Angle d'éclairage 360°.